L Number	Hits	Search Text	DB	Time stamp
1	654	((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	USPAT;	2004/09/03 11:38
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	US-PGPUB	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or		
		microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning)		
2	116	(((microstructur\$4 or microcantilever or microbridge or	USPAT;	2004/09/03 11:38
		microbar or microplate or (micro adj structure\$4) or (micro	US-PGPUB	
		adj cantilever) or (micro adj bridge) or (micro adj bar) or		
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency) with (acoustic\$4 or		
		sonic\$4 or sound\$4 or supersonic\$4 or supersound\$4 or		
		ultrasound\$4 or ultrasonic\$4 or megasound\$4 or		
	440	megasonic\$4 or microsound\$4 or microsonic\$4)		2004/00/00 44 40
3	116	(((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	USPAT;	2004/09/03 11:42
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	US-PGPUB	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microsouriday or microsonicay) same (microstructuray or microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning))		
		same (sens\$4 or detect\$4)		
4	84	(((microstructur\$4 or microcantilever or microbridge or	USPAT;	2004/09/03 11:39
		microbar or microplate or (micro adj structure\$4) or (micro	US-PGPUB	,,,
		adj cantilever) or (micro adj bridge) or (micro adj bar) or		
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency) with (detect\$4 or		
		sens\$4)		
5	18	(((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	EPO; JPO;	2004/09/03 11:39
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	DERWENT;	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or	IBM_TDB	
		microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning))		
6	27	same (sens\$4 or detect\$4) (((microstructur\$4 or microcantilever or microbridge or	EPO; JPO;	2004/09/03 11:39
8	27	microbar or microplate or (micro adj structure\$4) or (micro	DERWENT;	2004/03/03 11.33
		adj cantilever) or (micro adj bridge) or (micro adj bar) or	IBM_TDB	
		(micro adj plate) or cantilever or resonator) near3 (tune or	1011_100	
		tuned or tuning)) near5 frequency) with (detect\$4 or		
		sens\$4)		
7	310	((acoustic\$4 or sonic\$4 or sound\$4 or supersonic\$4 or	USPAT;	2004/09/03 11:39
-		supersound\$4 or ultrasound\$4 or ultrasonic\$4 or	US-PGPUB	= = = = = = = = = = = = = = = = = = =
		megasound\$4 or megasonic\$4 or microsound\$4 or		
		microsonic\$4) same (microstructur\$4 or microcantilever or		
		microbridge or microbar or microplate or (micro adj		
		structure\$4) or (micro adj cantilever) or (micro adj bridge)	İ	
		or (micro adj bar) or (micro adj plate) or cantilever or		
		resonator)) same (microphone or (micro adj phone))		
8	14	discrete.ti. and fourier.ti.	IBM_TDB	2004/09/03 11:40
9	1	(microstructur\$4 or microcantilever or microbridge or	USPAT;	2004/09/03 11:40
		microbar or microplate or (micro adj structure\$4) or (micro	US-PGPUB	
		adj cantilever) or (micro adj bridge) or (micro adj bar) or		
		(micro adj plate) or cantilever or resonator) with (optic\$4		
	L	near3 microphone)		

10	205	autich4 accu2 migraphers	LICDAT	2004/00/03 44:40
10	395	optic\$4 near3 microphone	USPAT; US-PGPUB	2004/09/03 11:40
11	12	IBM.as. and (optic\$4 near3 microphone)	USPAT; US-PGPUB	2004/09/03 11:40
-	309328	acoustic\$4 or sonic\$4 or sound\$4 or supersonic\$4 or	USPAT;	2002/11/23 14:34
		supersound\$4 or ultrasound\$4 or ultrasonic\$4 or	US-PGPUB	
		megasound\$4 or megasonic\$4 or microsound\$4 or microsonic\$4		
_	89177	microstructur\$4 or microcantilever or microbridge or	USPAT;	2002/11/23 13:37
		microbar or microplate or (micro adj structure\$4) or (micro	US-PGPUB	
		adj cantilever) or (micro adj bridge) or (micro adj bar) or		
	65005	(micro adj plate) or cantilever or resonator	LICOAT	2002/11/21 12:10
-	65995	frequency same (acoustic\$4 or sonic\$4 or sound\$4 or supersonic\$4 or supersound\$4 or ultrasound\$4 or	USPAT; US-PGPUB	2002/11/21 13:19
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or	03100	
		microsound\$4 or microsonic\$4)		
-	3032	(frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	USPAT;	2002/11/21 13:20
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	US-PGPUB	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
_	505	cantilever or resonator) ((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	USPAT;	2004/09/03 11:38
	303	supersonic\$4 or supersound\$4 or ultrasound\$4 or	US-PGPUB	200 1, 05, 00 22.00
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or	İ	
		microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microcantilever or microbridge or microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro		
	İ	adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning)		
-	1118	((microstructur\$4 or microcantilever or microbridge or	USPAT;	2002/11/22 13:38
i		microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro adj bridge) or (micro adj bar) or	US-PGPUB	
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency		
-	91	(((microstructur\$4 or microcantilever or microbridge or	USPAT;	2004/09/03 11:38
		microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro adj bridge) or (micro adj bar) or	US-PGPUB	
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency) with (acoustic\$4 or		
		sonic\$4 or sound\$4 or supersonic\$4 or supersound\$4 or		
		ultrasound\$4 or ultrasonic\$4 or megasound\$4 or megasonic\$4 or microsound\$4 or microsonic\$4)		
_	4	megasonic\$4 or microsound\$4 or microsonic\$4) ("5211051" "5267471" "5719324" "5918263").PN.	USPAT	2002/11/21 13:41
-	72	(((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	USPAT;	2004/09/03 11:38
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	US-PGPUB	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or		
		microsound\$4 or microsonic\$4)) same (microstructur\$4 or microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning))		
_	66	same (sens\$4 or detect\$4) (((microstructur\$4 or microcantilever or microbridge or	USPAT;	2004/09/03 11:39
	30	microbar or microplate or (micro adj structure\$4) or (micro	US-PGPUB	200 1/05/05 11:05
		adj cantilever) or (micro adj bridge) or (micro adj bar) or		
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency) with (detect\$4 or sens\$4)		
L		SCHS\$T)	<u> </u>	1

			·	
-	6	("4429575" "5077697" "5357063" "5412988" "5563848" "5808969").PN.	USPAT	2002/11/21 17:12
_	1	5925822.URPN.	USPAT	2002/11/21 17:13
_	16	(((frequency same (acoustic\$4 or sonic\$4 or sound\$4 or	EPO; JPO;	2004/09/03 11:39
		supersonic\$4 or supersound\$4 or ultrasound\$4 or	DERWENT;	
		ultrasonic\$4 or megasound\$4 or megasonic\$4 or	IBM_TDB	
		microsound\$4 or microsonic\$4)) same (microstructur\$4 or		
		microcantilever or microbridge or microbar or microplate or		
		(micro adj structure\$4) or (micro adj cantilever) or (micro		
		adj bridge) or (micro adj bar) or (micro adj plate) or		
		cantilever or resonator)) same (tune or tuned or tuning))		
		same (sens\$4 or detect\$4)		
-	25	(((microstructur\$4 or microcantilever or microbridge or	EPO; JPO;	2004/09/03 11:39
		microbar or microplate or (micro adj structure\$4) or (micro	DERWENT;	
		adj cantilever) or (micro adj bridge) or (micro adj bar) or	IBM_TDB	
		(micro adj plate) or cantilever or resonator) near3 (tune or		
		tuned or tuning)) near5 frequency) with (detect\$4 or		
1	00177	sens\$4)	USPAT;	2002/11/22 13:39
-	89177	microstructur\$4 or microcantilever or microbridge or	US-PGPUB	2002/11/22 13:39
		microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro adj bridge) or (micro adj bar) or	U3-FGFUB	
		(micro adj plate) or cantilever or resonator		
_	251	((acoustic\$4 or sonic\$4 or sound\$4 or supersonic\$4 or	USPAT;	2004/09/03 11:39
	251	supersound\$4 or ultrasound\$4 or ultrasonic\$4 or	US-PGPUB	200 1/05/05 11:05
		megasound\$4 or megasonic\$4 or microsound\$4 or	00 / 0.05	
		microsonic\$4) same (microstructur\$4 or microcantilever or		
		microbridge or microbar or microplate or (micro adj		
		structure\$4) or (micro adj cantilever) or (micro adj bridge)		
		or (micro adj bar) or (micro adj plate) or cantilever or		
		resonator)) same (microphone or (micro adj phone))		
-	2	(("3914557") or ("4786269")).PN.	USPAT;	2002/11/22 13:53
			US-PGPUB	
-	0	((acoustic\$4 or sonic\$4 or sound\$4 or supersonic\$4 or	EPO; JPO;	2002/11/22 13:53
		supersound\$4 or ultrasound\$4 or ultrasonic\$4 or	DERWENT;	
		megasound\$4 or megasonic\$4 or microsound\$4 or	IBM_TDB	
		microsonic\$4) same (microstructur\$4 or microcantilever or		
		microbridge or microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro adj bridge)		
		or (micro adj bar) or (micro adj plate) or cantilever or		
	1	resonator)) same (microphone or (micro adj phone))		
_	3	("9713127").PN.	DERWENT	2002/11/22 17:18
-	1	1997-226331.NRAN.	DERWENT	2002/11/22 17:28
-	14	discrete.ti. and fourier.ti.	IBM_TDB	2004/09/03 11:39
-	0	("1964893").PN.	EPO;	2002/11/22 17:40
			DERWENT	
-	0	("0231596").PN.	EPO;	2002/11/22 17:39
			DERWENT	
-	4	(" 231 596").PN.	EPO;	2002/11/22 17:39
		(114 054 00011) DAI	DERWENT	2002/44/22 47:44
-	0	("1 964 893").PN.	EPO;	2002/11/22 17:41
	0	("10 64 903") DN	DERWENT	2002/11/22 17:41
-		("19 64 893").PN.	EPO; DERWENT	2002/11/22 17.41
_	2	(("5442288") or ("4571661")).PN.	USPAT;	2002/11/22 17:42
		((3) 12200) 01 (13/1001 ///	US-PGPUB	2002/11/22 17.72
_	1	("3614770").PN.	USPAT;	2002/11/22 17:42
	•	,	US-PGPUB	
-	1	("5739686").PN.	USPAT;	2002/11/22 19:46
			US-PGPUB	

-	1	(microstructur\$4 or microcantilever or microbridge or microbar or microplate or (micro adj structure\$4) or (micro adj cantilever) or (micro adj bridge) or (micro adj bar) or (micro adj plate) or cantilever or resonator) with (optic\$4	USPAT; US-PGPUB	2004/09/03 11:40
	260	near3 microphone)	LICDAT	2004/00/02 44 40
-	260	optic\$4 near3 microphone	USPAT; US-PGPUB	2004/09/03 11:40
-	37350	IBM.as.	USPAT; US-PGPUB	2002/11/23 13:47
-	9	IBM.as. and (optic\$4 near3 microphone)	USPAT; US-PGPUB	2004/09/03 11:40
-	1	("6405595").PN.	USPAT; US-PGPUB	2002/11/23 14:34